




taO is a suspended black body that is free to exist wherever you wish.
Challenging gravity, it seems to float, deconstructing the visual balance of its weight.
The thin power cable becomes a graphic feature that crosses space lightly,
an instrument that becomes an idea.
Once again, an exercise of absence and essence.
A gesture that reduces light to its most abstract dimension,
between symbology and function.

taO è un corpo nero sospeso, libero di esistere dove lo si desidera.
Sfida la gravità, sembra galleggiare e scompone l'equilibrio visivo della massa.
Il suo sottile cavo di alimentazione diventa un segno grafico che attraversa lo spazio
con leggerezza e da strumento si trasforma in idea.
Ancora una volta, un esercizio di assenza ed essenza.
Un gesto che riduce la luce alla sua dimensione più astratta, tra ideografia e funzione.

Suspension / Direct / Indoor

Material Metal - PA
 Finish .04 Matt Black




taO
 Max 16,7W
 Max 500mA DC
 2700K - 1859lm / 3000K - 1943lm
 CRI >90
 Beam 22°
 CE IP20

Matt Black - 2700K
 Matt Black - 3000K


1A6110400.27.20
 1A6110400.30.20

Compulsory accessories / Accessori obbligatori


Suspension kits / Kit di sospensione



Recessed suspension kit for 12,5 mm plasterboard / Kit di sospensione da incasso per cartongesso 12,5 mm		Not included
Matt White	For electrical cables - 1 Piece Plasterboard cut-out Ø 44 mm Minimum space for mounting 70 mm	1X0000300.04.00
Matt Black	For electrical cables - 1 Piece Plasterboard cut-out Ø 44 mm Minimum space for mounting 70 mm	1X0000400.04.00




Ceiling suspension kit / Kit di sospensione da soffitto		Not included
Matt White	For electrical cables - 1 Piece	1X0010300.04.00
Matt Black	For electrical cables - 1 Piece	1X0010400.04.00




Ceiling rose with driver / Rosone con alimentatore		Not included
Matt White	Input 220-240V - 50/60Hz Output 500mA DC - Max 16,7W IP20 - DALI - PUSH - 1-10V	1X0180300.05.00
Matt Black	Input 220-240V - 50/60Hz Output 500mA DC - Max 16,7W IP20 - DALI - PUSH - 1-10V	1X0180400.05.00
Matt White	Input 220-240V - 50/60Hz Output 500mA DC - Max 16,7W IP20 - TRIAC/IGBT	1X0180300.04.00
Matt Black	Input 220-240V - 50/60Hz Output 500mA DC - Max 16,7W IP20 - TRIAC/IGBT	1X0180400.04.00

Drivers / Alimentatori










Driver / Alimentatore		Not included
220-240V	500mA/20W/IP20/TRIAC/IGBT	1Z0240850.500



Driver / Alimentatore		Not included
220-240V(110-127V)	500mA/25W(13,5W)/IP20/DALI - PUSH - 1-10V	1Z0241270.500

Optional accessories / Accessori opzionali

Other accessories / Altri accessori

	Soft filter / Filtro soft Standard	Not included 1X0190000.03.00
	Louvre 1 / Frangiluce 1 Matt Black	Not included 1X0190400.10.00
	Louvre 2 / Frangiluce 2 Matt Black	Not included 1X0190400.11.00
	Parabola / Parabola Matt Black	Not included 1X0190400.08.00
	Snoot / Snoot Matt Black	Not included 1X0190400.09.00
	Louvre 3 / Frangiluce 3 Matt Black For Parabola - Snoot	Not included 1X0190400.12.00
	Louvre 4 / Frangiluce 4 Matt Black For Parabola - Snoot	Not included 1X0190400.13.00

